

CEN-PE-CO COMPRESSOR OIL

A highly refined, double de-waxed compressor oil for air, gas, and some refrigeration compressors. Formulated for use in reciprocating, rotary, and centrifugal compressors.

Modern compressors produce relatively high pressures and temperatures. This heat causes mediocre oils to oxidize, causing carbon deposits to form. Deposits, in turn, particularly those on discharge valves, cause heat buildup and more rapid oil breakdown.

Cen-Pe-Co Compressor Oil's superior heat resistance fights oxidation, keeping the system clean and running efficiently.

BENEFITS:

- Extends system life
- Superior heat resistance
- Fights the development of carbon deposits
- Resists oxidation
- Cools
- Seals
- Lubricates
- Resists foaming
- Inhibits corrosion

TYPICAL CHARACTERISTICS:

Viscosity				
SAE	<u>5W</u>	<u>10W</u>	<u>20W</u>	<u>30</u>
SUS @ 210° F.	44	48	57	66
SUS @ 100° F.	160	226	368	531
cSt @ 100° C.	5.3	6.6	9.0	11.5
cSt @ 40° C.	31	44	71	102
Viscosity Index	100	100	100	100
Pour Point (° F.)(ASTM D97)	-30	-25	-20	0

Central Petroleum Company

11810 Madison Ave.
Cleveland, OH 44107-0597

201 East Lincoln Street
Walcott, IA 52773-0116

800-553-1891 FAX 563-284-5124

