

### **SECTION 1: PRODUCT AND COMPANY INFORMATION**

 Manufacturer
 Central Petroleum Company, 201 East Lincoln St., Walcott, IA 52773-0116

 Telephone
 563-284-6221 (M-F: 8:00-3:00 CT)
 Fax
 563- 284-5124

Product Name(s) Cen-Pe-Co Quick Kleen

Chemical Family Fuel Additive CAS Number Mixture

Use Diesel Fuel Additive Emergency Contact / Number CHEMTREC 1-800-424-9300

## **SECTION 2: HAZARD IDENTIFICATION**





### Hazards

Acute Toxicity, oral Category 4 – Harmful if swallowed
Acute Toxicity, dermal Category 4 – Harmful in contact with skin

Acute Toxicity, inhalation Category 4 – Harmful if inhaled

Aspiration Hazard Category 1 – May be fatal if swallowed and enters airways

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Carcinogenicity

Category 2 – Causes skin irritation

Category 2A – Causes serious eye irritation

Category 2 – Suspected of causing cancer

Specific target organ toxicity single exposure,

-respiratory Category 3 – May cause respiratory irritation

Hazardous to the aquatic environment

-long-term Category 3 – Harmful to aquatic life with long lasting effects

Signal Word DANGER

### **Precautionary Statements**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing fumes, mist, vapors, or spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves and clothing, eye and face protection. Use other personal protective equipment as required.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

IF ON SKIN: Wash with soap and water. Take off contaminated clothing and wash before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing.

IF exposed or concerned: Get medical advice/attention. Call a POISON CENTER or a doctor/physician if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Store in a well ventilated place. Keep container tightly closed. Store locked up. Collect spillage. Dispose of contents/container to an approved waste disposal plant.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Component Name        | CAS#       | Component% |
|-----------------------|------------|------------|
| Petroleum distillates | 64742-53-6 | 20 – 30    |
| 2-Ethylhexyl nitrate  | 27247-96-7 | 30 – 40    |
| Solvent naphtha*      | 64742-95-6 | 5-10       |
| 2-Ethylhexanol        | 104-76-7   | <5         |
| Naphthalene           | 91-20-3    | <1         |

<sup>\*</sup> may contain up to 32% 1,2,4-trimethylbenzene (CAS 95-63-6)



### **SECTION 4: FIRST AID MEASURES**

#### **Skin Contact**

Wash exposed areas promptly with water and mild soap. Remove contaminated clothing immediately and launder before reuse. Seek medical advice or attention if irritation occurs.

### **Eye Contact**

Immediately flush eyes with water for at least 15 minutes. Seek medical attention immediately.

#### Inhalation

Move to fresh air. Seek immediate medical attention. If not breathing, if breathing is irregular, or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

### Ingestion

Do not induce vomiting. Wash out mouth with water. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

#### **Note to Physicians**

Components may cause central nervous system depression. Potential for chemical pneumonitis. Material poses an aspiration hazard.

### **SECTION 5: FIREFIGHTING MEASURES**

## Suitable Extinguishing Media

Water fog and foam. Do not use water jet as it may spread fire. Dry chemical and carbon dioxide for small fires only. Use a water spray to cool fire-exposed containers, structures and to protect personnel.

### **Special Firefighting Procedures**

Clear fire area of unprotected and untrained personnel. Do not enter confined fire space without full equipment and a positive pressure NIOSH approved self-contained breathing apparatus.

### **Unusual Firefighting Hazards**

May produce toxic fumes, gases, and vapors on burning. Vapors may be heavier than air and may travel along the ground to a distant ignition source and flash back. Containers may rupture upon heating.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## **Personal Precautions**

Avoid contact with spilled material. Remove all potential sources of ignition. Take precautionary measures against static discharge. Ventilate spill area. Use personal protection recommended in Section 8.

## **Environmental Precautions**

Contain spill if it can be done with minimal risk. Prevent liquid from entering drains, sewers or waterways. Advise EPA, state or local agencies as required.

# Methods for Cleaning Up

Use non-sparking tools and explosion-proof means to transfer to labeled, sealable containers for product recovery or safe disposal. Soak up residues with an inert absorbent material and dispose of safely. Remove contaminated soil and dispose of safely. Do not wash away residues with water.

# **SECTION 7: HANDLING AND STORAGE**

# Handling

Keep away from heat, sparks, and open flame. Extinguish all possible ignition sources prior to use and until vapors are gone. Vapors may accumulate and travel to ignition sources distant from handling site and flash back. Use approved bonding and grounding procedures. Use explosion-proof electrical equipment. Do not use compressed air when filling, discharging, or handling. Keep containers tightly sealed when not in use. Transfer only to approved containers with complete and appropriate labeling. Use only with adequate ventilation. Avoid contact with skin and eyes. Avoid breathing vapor and spray mist. Do not take internally. Empty containers may contain residue. Do not cut, weld, braze, solder, drill, grind, or expose containers to heat, flame, spark, or other ignition sources.

### Storage

Keep containers in a cool, well-ventilated area. Avoid possible sources of ignition. Keep containers tightly closed. Keep away from aerosols, flammables, alkalais, acids, oxidizing agents, and corrosives.



### **SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION**

## **Exposure Limits**

Component Name ACGIH TLV-TWA OSHA PEL-TWA

Petroleum distillates 5 mg/m³ 5 mg/m³
Solvent naphtha Not Established 500 ppm/8hrs
15 ppm (STEL), 10 ppm

10 ppm (skin)

# **Engineering Controls**

Use appropriate ventilation to maintain airborne concentration limits below exposure limits. Have eye wash stations and safety showers readily available.

# **Eye and Face Protection**

Wear safety glasses with side shields or goggles; use face shield if splashing is possible.

## **Skin Protection**

Wear chemical resistant gloves, if contact is likely. Additional body garments should be used based upon the task being performed.

## **Respiratory Protection**

Use a properly fitted NIOSH respirator in areas where the exposure is unknown or above the OSHA PEL or ACGIH TLV,

### **General Hygiene**

Follow accepted work practices for handling a combustible material. Do not eat, drink or smoke in areas where this chemical is used or stored. Wash thoroughly with soap and water after task or shift, when using the restroom or before eating.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

| Appearance/Physical State  | Amber liquid    | Flash Point                             | 217 °F/103 °C  |
|----------------------------|-----------------|---|----------------|
| Specific Gravity (Water=1) | 0.91            | Upper Flammability Limits               | Not Determined |
| Evaporation Rate           | Not Determined  | Lower Flammability Limits               | Not Determined |
| pH                         | Not Applicable  | Auto-ignition Temperature               | Not Determined |
| Solubility in Water        | Negligible      | Decomposition Temperature               | Not Determined |
| Odor                       | Strong, pungent | Vapor Pressure                          | Not Determined |
| Odor Threshold             | Not Determined  | Vapor Density (Air-=1)                  | >1             |
| Melting/Freezing Point     | Not Determined  | Partition Coefficient (n-octanol/water) | Not Determined |
| Boiling Range              | Not Determined  | Viscosity (cSt , 40 °C)                 | <20.5          |
| Initial Boiling Point      | Not Determined  | Critical Temperature                    | Not Determined |
|                            |                 | 1 101 1 1 1 1 1 1 1 1 1 1 1 1 1         |                |

Note: Physical and chemical properties are provided for safety, health and environmental considerations and do not fully represent product specifications. Those should be requested separately.

# **SECTION 10: STABILITY AND REACTIVITY**

## Stability

Stable under normal conditions of storage and handling.

### **Conditions to Avoid**

Avoid high temperatures, sparks, open flames, and other sources of ignition. Avoid contact with strong oxidizing and reducing agents, strong acids and strong bases.

# **Hazardous Decomposition / Byproducts**

Combustion products include smoke, carbon dioxide, carbon monoxide, nitrogen oxides, volatile hydrocarbons and other possibly toxic gases in fire.

# **Hazardous Polymerization**

Will not occur.

# **Polymerization Conditions to Avoid**

Not Applicable



# **CEN-PE-CO QUICK KLEEN**

### **SECTION 11: TOXICOLOGICAL INFORMATION**

Specific toxicity tests have not been conducted on this mixture. In accordance with OSHA's Hazard Communication Standard 1910.1200, this mixture is assumed to have the same health hazards as its significant components.

### **Eye Contact**

Product or product vapors may cause irritation, redness, discomfort, itching, tearing, or blurred vision.

#### **Skin Contact**

May cause skin irritation. Prolonged or repeated exposure can defat the skin, resulting in dryness, dermatitis, and cracking. Prolonged exposure to large amounts of components of this material can cause dizziness and drowsiness.

#### Ingestion

Ingestion may cause nausea and gastrointestinal irritation. Aspiration into the lungs can cause chemical pneumonitis and lung damage, possibly leading to death.

### Inhalation

Inhalation may cause respiratory irritation, nausea, or discomfort. Exposure to decomposition products may cause a health hazard.

#### **Chronic Effects**

Repeated overexposure can cause nervous system damage, destruction of red blood cells with anemia, fever, jaundice and kidney and liver damage. Repeated ingestion may cause injury to the liver and kidneys.

#### Carcinogenicity

Contains small amounts (<1%) of naphthalene which is classified as possible or suspect carcinogens by NTP and IARC.

# **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity** Large releases may be harmful to the environment

MobilityNot DeterminedDegradabilityNot Determined

Bioaccumulation Component(s) of product have high bioaccumulation potential

# **SECTION 13: DISPOSAL CONSIDERATION**

Dispose of this product in compliance with all applicable federal, state and local regulations. Empty containers may contain residues.

## **SECTION 14: TRANSPORT INFORMATION**

Proper Shipping Name Not Regulated

# **SECTION 15: REGULATORY INFORMATION**

### **TSCA Status**

All components are listed in the TSCA inventory

## SARA 311/312 Reporting Categories

Acute hazard

# **SARA 313 Reportable Ingredients**

 Trimethylbenzene
 95-63-6
 <1.5</td>

 Naphthalene
 91-20-3
 <1</td>



# **CEN-PE-CO QUICK KLEEN**

## **SECTION 16: OTHER INFORMATION**

### **NFPA Rating**

Health=2 Flammability=1 Reactivity=1 0=minimal hazard, 1=slight hazard, 2=moderate hazard, 3=severe hazard, 4=extreme hazard

**Department Issuing SDS** Health and Safety

## Disclaimer

This information has been compiled from sources considered to be dependable and is accurate to the best of Central Petroleum Company's knowledge; however, the Central Petroleum Company makes no warranty whatsoever, expressed or implied, of merchantability or fitness for particular purpose regarding the accuracy of such data or the results to be obtained from the use thereof. The Central Petroleum Company assumes no responsibility for injury to recipient or third persons or for any damage to any property and recipient assumes all such risks.